



# SAFETY RESOURCES

SAFETY RESOURCES COMPANY OF OHIO

## Personal Protective Equipment and Safety Services Catalog



4650 Southway St. SW Canton, Ohio 44706  
SRCOHIO.COM

2025

# Our History

Safety Resources Company of Ohio began helping clients in 1993. As a family run business, we have grown our team of employees to provide compliance assistance, equipment, training and value to the safety industry.

## Our Services

- Confined Space Services
- Drug Testing
- Equipment Sales and Rentals
- Fire Extinguisher Maintenance and Sales
- Fit Testing and Medical Evaluations
- Industrial Hygiene Services
- Maintenance Shutdown and Outages
- On-Site Safety Inspections & Audits
- PPE Sales
- Professional Representation
- Safety Labeling and Signage
- Safety Policies
- Training Classes
- Video Production and Services

## Contact Us



# TABLE OF CONTENTS

## Equipment Sales

## Professional Services



### Fall Protection

Page 4

### Confined Space Services

Page 53



### Safety Glasses

Page 16

### Certified Formal Training

Page 54



### Hard Hats & Accessories

Page 22

### Substance Abuse Testing

Page 55



### Gloves & Clothing

Page 26

### Industrial Hygiene Services

Page 56



### Fire Extinguishers

Page 36

### Fire Extinguisher Services

Page 59



### Hearing Protection

Page 38

### On-Site Services

Page 60



### Respiratory Protection

Page 40

### Emergency Services

Page 61



### Safety Accessories & Safety Signs

Page 42

### Video Production and Safety Policies

Page 62



### First Aid, AED & Hydration

Page 48

### Equipment Rentals

Page 63



# Guardian Cyclone Safety Harness

- Back and side D-rings, pass through chest buckle
- Tongue and buckle leg straps
- Padded waist belt and shoulder pads
- Meets ANSI Z359.11 standard for full body harnesses

Part#	Description/Size
21064	Small
21065	Medium/Large
21066	X-Large
21067	2X-Large



# Guardian Cyclone Safety Harness

- Back D-ring, pass through chest buckle
- Tongue and buckle leg straps, padded shoulder pads
- No padded belt or side D-rings
- Meets ANSI Z359.11 standard for full body harnesses

Part#	Description/Size
21052	Small
21053	Medium/Large
21054	X-Large
21055	2X-Large



# Guardian Series 3 Safety Harness

- Back and side D-rings, pass through chest buckle
- Tongue and buckle leg straps
- Padded waist belt and shoulder pads
- Meets ANSI Z359.11 standard for full body harnesses

Part#	Description/Size
37192	X-Small/Small
37193	Medium/Large
37194	X-Large/2X-Large
37195	3X-Large



# Guardian Series 1 Safety Harness

- Back D-ring, pass through chest buckle
- Pass through leg straps
- No padded waist belt
- Meets ANSI Z359.11 standard for full body harnesses

Part#	Description/Size
37000	X-Small/Small
37001	Medium/Large
37002	X-Large/2X-Large
37003	3X-Large



# Malta Dynamics Warthog Comfort Max Safety Harness

- Back and side D-rings, quick connect chest buckle
- Quick connect leg straps
- Padded waist belt and shoulder pads
- Meets ANSI Z359.11 standard for Full Body Harnesses

Part#	Description/Size
B2201	Small/Medium
B2202	Large/X-Large
B2203	2X-Large
B2204	3X-Large



# Malta Dynamics Warthog Safety Harness

- Back D-ring, pass through chest buckle
- Tongue and buckle leg straps
- Without waist belt
- Meets ANSI Z359.11 standard for full body harnesses

Part#	Description/Size
B2006	Small/Medium
B2002	Large/X-Large
B2003	2X-Large
B2004	3X-Large



# Safewaze Pro Safety Harness

- Back and front D-ring, pass through chest buckle
- Tongue and buckle leg straps, padded shoulder pads
- No padded belt or side D-rings
- Meets ANSI Z359.11 standard for full body harnesses

Part#	Description/Size
FS185-FD-XS	X-Small
FS185-FD-S/M	Small/Medium
FS185-FD-L/XL	Large/X-Large
FS185-FD-2X	2X-Large
FS185-FD-3X	3X-Large
FS185-FD-4X	4X-Large



# Werner Litefit Safety Harness

- Back and side D-rings, pass through chest buckle
- Tongue and buckle leg straps
- Padded waist belt and shoulder pads
- Meets ANSI Z359.11 standard for full body harnesses

Part#	Description/Size
H332101	Small
H332102	Medium/Large
H332104	X-Large
H332105	2X-Large



# Werner Blue Armor Safety Harness

- Back and side D-rings, quick connect chest buckle
- Tongue and buckle leg straps
- Padded waist belt and shoulder pads
- Meets ANSI Z359.11 standard

Part#	Description/Size
H132101	Small
H132102	Medium/Large
H132104	X-Large
H132105	2X-Large

Stop by our store so our experts can make sure that your harness fits correctly to provide the highest level of protection possible.



# Guardian Halo Cable SRL-LE

- Compact, light weight design
- Swivel top connection point
- Integrated fall clearance charts
- Carabiner included

Part#	Description/Size
10920	20ft
10925	30ft
10927	50ft



# Guardian Halo Webbing SRL

- Aluminum housing
- Swivel top connection point
- Protective shock pack
- Carabiner included

Part#	Description/Size
10900	11ft



# Malta Dynamics Edgehog SRL LE

- Swivel top connection point
- Durable thermoplastic housing
- Integral energy absorption system
- Galvanized steel cable

Part#	Description/Size
LE7020	20ft
LE7030	30ft
LE7050	50ft



# Malta Dynamics Hybrid Hog SRL

- Swivel top connection point
- Durable thermoplastic housing
- Integral energy absorption system
- Galvanized steel cable

Part#	Description/Size
C9000-G2	20ft
C9001-G2	30ft



# Safewaze Latitude Single Leg 6FT SRL-P

- Swivel top connection point
- External shock pack with energy absorber
- Class 1
- Meets ANSI Z359.12 requirements

Part#	Description/Size
019-5044	Steel Snaphook
019-5045	Aluminum Snaphook
019-5046	Steel Rebar Hook
019-5047	Aluminum Rebar Hook



# Safewaze

## Latitude Dual Leg 6FT SRL-P

- Swivel top connection point
- External shock pack with energy absorber
- Class 1
- Meets ANSI Z359.12 requirements

Part#	Description/Size
019-5052	Steel Snaphook
019-5053	Aluminum Snaphook
019-5054	Steel Rebar Hook
019-5055	Aluminum Rebar Hook



# Safewaze

## Latitude Edge Single Leg Cable SRL-P 8FT

- Stainless steel housing with nylon sides
- Dorsal attachment bracket with SRL separator
- Class 2 SRL-P
- Meets ANSI Z359.12 requirements

Part#	Description/Size
023-5352	Aluminum Snaphook
023-5353	Aluminum Rebar Hook



# Safewaze

## Latitude Edge Dual Leg Cable SRL-P 8FT

- Stainless steel housing with nylon sides
- Dorsal attachment bracket with SRL separator
- Class 2 SRL-P
- Meets ANSI Z359.12 requirements

Part#	Description/Size
023-5357	Aluminum Snaphook
023-5358	Aluminum Rebar Hook



# Safewaze

## Latitude HD Cable SRL-P 10FT

- Durable housing
- Rugged cable, Class 1 SRL-P
- Swivel connection point
- Meets ANSI Z359.12 standard

Part#	Description/Size
SW8008-10-ALU	Aluminum Snaphook
SW8008-10-ALU-RBH	Aluminum Rebar Hook
SW8008-10-ALU-DL	Aluminum Snaphook Dual
SW8008-10-ALU-RBHDL	Aluminum Dual Rebar Hook



# Honeywell Miller

## Twin Turbo Dual SRL-P

- Durable housing
- Compact, light-weight design
- Miller G2 connector
- Meets ANSI Z359.12 standard

Part#	Description/Size
MFLC-3-Z7/6FT	Steel Snaphook
MFLC-11-Z7/6FT	Aluminum Snaphook



# Guardian

## External Shock Lanyard Dual Leg 6FT

- Durable 1 inch nylon webbing
- Snap hook or rebar hook
- Clear cover on shock pack for easy inspection
- Hooks manufactured with 3600 lb gates

Part#	Description/Size
01230	Steel Snaphook
01231	Steel Rebar Hook



# Guardian

## External Shock Lanyard Single Leg 6FT

- Durable 1 inch nylon webbing
- Snap hook or rebar hook
- Clear cover on shock pack for easy inspection
- Hooks manufactured with 3600 lb gates

Part#	Description/Size
01220	Steel Snaphook
01221	Steel Rebar Hook



# Guardian

## Shock Absorbing Adjustable Lanyards

- Durable 1 ft nylon webbing
- Adjustable from 4 feet to 6 feet
- Single and dual leg options
- Hooks manufactured with 3600 lb gates

Part#	Description/Size
01285	Single Snaphook
11285	Dual Snaphook



# Guardian

## Stretch Dual Leg Lanyard

- Stretches between 4 1/2 feet to 6 feet
- Lightweight and durable
- Steel snaphook or rebar hook
- Meets ANSI Z359.13.13 requirements

Part#	Description/Size
01296	Steel Snaphook
01298	Steel Rebar Hook



# Guardian

## Internal Shock Lanyard 6FT

- Lightweight design
- Suitable for both fall arrest and fall restraint
- Durable, 1 inch nylon webbing
- Hooks manufactured with 3600 lb gates

Part#	Description/Size
11200	Steel Snaphook



# Guardian

## Polydac Rope w/ Snaphook End

- 3 strand Polydac™ rope
- Provides good abrasion protection

Part#	Description/Size
11329	25ft
11331	50ft
11332	75ft
11333	100ft



# Guardian

## Rope Grab

- Manufactured from zinc-plated steel
- Trails along with worker during climbing
- Locks automatically in the event of a fall
- Compatible with 5/8 inch rope diameters

Part#	Description/Size
01508	10in x 4in



# Safewaze

## EVO 3/8 inch Detachable Cable Sleeve

- Corrosion resistant materials
- Secure internal cam locking system
- Innovative anti-inversion feature
- Quality in-line web energy absorber

Part#	Description/Size
020-12101	Cable Sleeve



# Guardian

## HTL Horizontal Lifeline

- Built-in tensioning device
- Swivel connection points to reduce lifeline tangling
- Provided standard with convenient carrying bag
- Integral O-ring connection points
- Two-Person Limit

Part#	Description/Size
04663	30ft
04664	60ft

**Our consultants can help ensure you have the correct fall protection system in place for your job. Stop by and speak to one of our experts today!**



# Malta Dynamics

## Standing Seam Roof Anchor

- Swivel anchor point for 360° motion
- Materials: Aluminum alloy & stainless steel
- Minimum breaking strength: 5000lbs
- Meets Z359.18-2017 type A

Part#	Description/Size
A6317	9in x 5.5in x 3in



# Guardian

## Bolt Hole Anchor

- Compatible with horizontal lifelines
- Can be loaded at any angle
- Galvanized steel construction
- Reusable anchorage connector

Part#	Description/Size
00230	9in x 2in



# Guardian

## CB-1-W Weld-On Anchor

- Forged D-ring
- Must be spray galvanized after installation
- Compatible with horizontal lifelines
- Meets ANSI Z359.18 standard

Part#	Description/Size
00610	2.75in Diameter



# Guardian

## Cable Choker Anchor

- Compatible with horizontal lifelines
- Durable galvanized steel construction
- Vinyl-coated cable
- O-ring and thimble ends available

Part#	Description/Size
10441	4ft w/ Thimble End
10451	4ft w/ 2.5in and 3in O-Rings
10452	6ft w/ 2.5in and 3in O-Rings



# Guardian

## Premium Cross Arm Strap

- Superior durability
- Compatible with horizontal lifelines
- Fast installation and easy to relocate
- Available in various lengths

Part#	Description/Size
10785	3ft
10786	4ft
10787	6ft
10788	8ft



# Guardian

## Temper Roof Anchor

- Offset fastener holes make it easier on trusses
- Zinc-plated steel offers superior durability & strength
- Easy and secure connection point
- Lightweight and durable

Part#	Description/Size
00455	11in x 7.5in



# Guardian

## Ridge-It Anchor

- Stainless and zinc-plated steel construction
- Butyl strip helps seal holes for permanent installs
- Also suitable for installation on metal roofs
- Lightweight and durable construction

Part#	Description/Size
00500	9.75in w/ Single D-Ring



# Guardian

## Skyhook Roof Anchor

- Fits roof pitches from flat to 12/12
- Made from powder-coated steel
- Easy to install
- Excellent weather resistance

Part#	Description/Size
00300	14.1in x 7in



# Guardian

## D-Bolt Forged Anchor

- Easy to install with simple hand tools
- Multi-purpose
- Versatile: suitable for wood, steel, and concrete
- Lightweight: ideal when installing multiple

Part#	Description/Size
00371	3in x 3in



# MSA

## D-Plate Anchorage Connector

- Provides permanent anchorage point
- Bolts to beams or columns
- Zinc Plated Steel
- ANSI Z359.1-2007

Part#	Description/Size
506632	6.1in x 3.7in x 1.2in



# Safewaze

## Beam Walker Easy Slider

- 180° rotating connection point
- Nylon rollers for more effective slide
- Lightweight aluminum construction
- Overhead and foot level tie-off

Part#	Description/Size
021-4068	3.5in to 14in



# Safewaze

## Parapet Wall Anchor

- Non-penetrating rubber padded design
- 2 tightening handles for even force distribution
- High strength steel construction with built-in D-ring
- Fits 2.4-14.1 inch concrete parapet wall thickness

Part#	Description/Size
SW900	22in x 14in



# Werner

## Steel D-Ring Anchorage Connector

- Made with alloy and stainless steel
- Minimum breaking strength (MBS) of 5,000lbs
- Includes a 2 3/8 inch D-Ring
- Meets ANSI Z359.18 and OSHA Standards

Part#	Description/Size
A330000	4.1in x 3.2in



# Werner

## 3/4in Reusable Concrete Anchor

- The lightweight design is easy to insert and remove
- Drill hole of 3/4-inch with a 3 1/2 inch minimum depth
- Requires a minimum of 3000 PSI concrete
- Multi-directional use

Part#	Description/Size
A510000	11.5in x 2in x 1.3in



# Werner

## 8ft Cable Choker

- Made with vinyl-coated galvanized cable
- Durable and light weight
- Two O-rings for pass through to create anchor point
- Meets ANSI and OSHA standards

Part#	Description/Size
A112008	8ft

# French Creek

## Portable Confined Space Davit System

- Davit base adjusts from 36 inches to 60 inches
- Davit mast adjusts from 12 inch 30 inch offset reach
- Multiple attachment points for mechanical units

Part#	Description/Size
PD1	Davit Mast Assembly
PD2	Davit Base Assembly
PD3	Mounting Bracket for R50G
PD4	Mounting Bracket for MW50G
R50G	50ft 3-Way ARL w/ Retrieval
MW50G	50ft Rescue Winch

# Malta Dynamics

## Confined Space Rescue Tripod System

- Tripod - Lightweight Aluminum Alloy
- 115ft Manhandling/ Material Handling Winch
- 90ft 3 Way SRL with Galvanized Steel Cable
- 3-Way Recovery Bracket

Part#	Description/Size
R0003-G2	90ft 3-Way SRL
R0006	7ft Tripod
R0007	115 Handling Winch
R0008	3-Way Recovery Bracket

# Honeywell Miller

## Durahoist Mount Sleeves

- Fixed base installation
- One piece arm
- Zinc-plated
- Designed for use with Miller Durahoist System

Part#	Description/Size
DH-7ZP/	Floor Mount Sleeve
DH-8ZP/	Wall Mount Sleeve

# Honeywell Miller

## Confined Space ManHandler Hoist

- Galvanized cable
- 350lb working capacity
- Anti-backlash crank handle breaking system
- Designed for use with Miller DuraHoist System

Part#	Description/Size
8442/65FT	65ft

**We provide confined space rescue and attendant services. Contact our office for more information!**



# Guardian

## Non-Shock Absorbing Extension Lanyard

- Lightweight and durable
- Label cover protects product labels from wear
- All hooks manufactured with 3,600 lb. gates
- ANSI Z359.3-17 compliant

Part#	Description/Size
01121	18in w/ Snaphook



# Safewaze

## D-Ring Extender

- 1 inch fixed length
- 1 forged steel snap hook
- 1 forged steel D-ring
- ANSI Z359.11-2021 compliant

Part#	Description/Size
FS813	18in w/ Snaphook
FS814	18in w/ Rebar Hook



# MSA

## Steel Carabiner - 1" Gate Opening

- 1 Inch gate opening
- Auto-Locking
- Steel
- 5,000 lb minimum breaking strength

Part#	Description/Size
10089207	1in Gate, Steel



# Safewaze

## Steel Carabiner - 11/16" Gate Opening

- 3,600 lbs. twist lock gate
- Gate opening 3/4 inch

Part#	Description/Size
FS1015	11/16in Gate, Steel



# Guardian

## Chain Positioning Lanyard

- Made with vinyl-coated galvanized cable
- Durable and light weight
- Two O-rings for pass through to create anchor point
- Meets ANSI and OSHA Standards

Part#	Description/Size
01616	Swivel Rebar and Snaphooks
01617	Non-Swivel Rebar and Snaphooks



# Guardian

## Trauma Relief Strap

- Helps reduce the effects of suspension trauma
- Lightweight and easy to install
- An important part of any rescue plan
- Compatible with all GFP full-body harnesses

Part#	Description/Size
10733	Trauma Straps



# Honeywell Miller

## Trauma Relief Strap

- To use, simply pull tab to deploy, insert foot into loop step and adjust
- Provides ability to stand
- OSHA states that potentially fatal suspension trauma can occur within minutes

Part#	Description/Size
9099	Trauma Straps



# Malta Dynamics

## Tool Lanyard

- 3/4 inch wide, tubular polyester webbing
- Screw lock carabiner: aluminum alloy
- Maximum tool weight support: 15 lbs
- Meets ANSI/ISEA 121-2018

Part#	Description/Size
C1006	Tool Lanyard



# Werner

## Tool Tether

- Heavy-duty 15 lb tool capacity
- Stretch cord surrounded by durable webbing
- Retracts to 30 inches and extends to 50 inches
- Includes carabiner and drawstring

Part#	Description/Size
M400003	Tool Tether

Looking for a fall protection accessory that isn't in the catalogue? Call or email our office to special order.



# Honeywell Uvex

## Hypershock Safety Glasses w/ Polarized Lenses

- Black frame with espresso polarized lens
- Anti-scratch hard coat
- Other frame colors available
- ANSI Z87.1-2015 compliant

Part#	Description/Size
S2949	Polarized Lenses



# Honeywell Uvex

## Hypershock Safety Glasses

- Clear ice frame with blue mirror lenses
- Anti-scratch hard coat
- Lightweight, wrap-around frame
- Available in various lens and frame colors

Part#	Description/Size
S2975	Blue Mirror Lenses
S2940HS	Clear Lens



# Honeywell Uvex

## Carbonvision Chemical Splash Impact Goggles

- Flexible soft frame and body
- Convenient clip makes it easy to remove headband before cleaning
- Dura-Streme® dual anti-fog/anti-scratch coating

Part#	Description/Size
S1650D	Clear Lens, Black Grey Frame



# Honeywell Uvex

## A1500 Series Safety Glasses w/ Reflective 50 Lenses

- Semi-transparent gray frame with Reflective 50 lenses
- Anti-scratch hard coat
- Lightweight adjustment-free frame
- ANSI Z87.1+ 2015 compliant

Part#	Description/Size
S2164	Reflective 50 Lenses



# Honeywell Uvex

## Uvex Astropec OTG 3001 Safety Glasses

- Lightweight
- Available in many lens tints including SCT
- Anti-fog/anti-scratch lens
- ANSI Z87.1+ 2015

Part#	Description/Size
S2500	OTG Safety Glasses

# Radians

## Crossfire Sniper with Polarized Lenses



- Vented, rubber nosepiece for added comfort
- Lightweight, flexible temples for a comfortable fit
- Hard coat, polycarbonate lens
- Complies with ANSI Z87.1 standards

Part#	Description/Size
9614	Polarized Lenses

# Radians

## Crossfire Sniper Matte Black Frame



- Vented, rubber nosepiece for added comfort
- Lightweight, flexible temples for a comfortable fit
- Hard coat polycarbonate lens
- Complies with ANSI Z87.1 standards

Part#	Description/Size
921	Smoke Lenses
924	Clear Lenses

# Radians

## Crossfire Sniper Bifocal Safety Glasses



- Vented, rubber nosepiece for breathability
- Lightweight, comfort fit half frame
- Bifocal lens
- Hard coat polycarbonate lens

Part#	Description/Size
92115	Smoke Lens, 1.5 Diopter
92120	Smoke Lens, 2.0 Diopter
92125	Smoke Lens, 2.5 Diopter
92415	Clear Lens, 1.5 Diopter
92420	Clear Lens, 2.0 Diopter
92425	Clear Lens, 2.5 Diopter

# Radians

## Crossfire Concept Foam Lined Safety Glasses



- Vented, rubber nosepiece for all day comfort
- Available in multiple diopters
- EVA foam lined frame protects against dust
- Hard coat polycarbonate lens

Part#	Description/Size
84415	Bifocal, Foam Lined, 1.5 Diopter
84420	Bifocal, Foam Lined, 2.0 Diopter
84425	Bifocal, Foam Lined, 2.5 Diopter

# Radians

## Crossfire Sniper Safety Glasses



- Vented, rubber nosepiece for added comfort
- Lightweight, flexible temples for a comfortable fit
- Hard coat polycarbonate lens
- Complies with ANSI Z87.1 standards

Part#	Description/Size
9215	Indoor/Outdoor Lenses
9610	Emerald Mirror Lens



# Gateway Safety

## StarLite Gumball Safety Glasses

- Ten temple colors in each box
- Incredibly light, all-around impact protection
- Deep, universal-fit temples
- Scratch-resistant polycarbonate lens

Part#	Description/Size
3699	StarLiteGumballs Small
4699	StarLite Gumballs



# Gateway Safety

## StarLite Safety Glasses

- Incredibly lightweight, weighing less than one ounce
- Deep, universal-fit temples
- Scratch-resistant, hardcoated polycarbonate lenses

Part#	Description/Size
4680	Clear Temple, Clear Lens
4683	Gray Temple, Gray Lens
460M	Clear Temples, Indoor/Outdoor Lens
468M	Gray Temple, Silver Mirror Lens
469M	Gray Temple, Blue Mirror Lens



# Gateway Safety

## StarLite SM Safety Glasses

- Incredibly lightweight, weighing less than one ounce
- Deep, universal-fit temples
- Scratch-resistant, hardcoated polycarbonate lenses

Part#	Description/Size
3680	Clear Temple, Clear Lens
3683	Gray Temple, Gray Lens
360M	Clear Temples, Indoor/Outdoor Lens
368M	Gray Temple, Silver Mirror Lens
369M	Gray Temple, Blue Mirror Lens



# Gateway Safety

## StarLite MAG Safety Glasses

- Incredibly lightweight, weighing less than one ounce
- Deep, universal-fit temples
- Scratch-resistant, hardcoated polycarbonate lenses
- Diopter strengths available from 1.0 up to 3.0

Part#	Description/Size
46MA15	Clear, 1.5 Diopter
46MA20	Clear, 2.0 Diopter
46MA25	Clear, 2.5 Diopter
46MG15	Gray, 1.5 Diopter
46MG20	Gray, 2.0 Diopter
46MG25	Gray, 2.5 Diopter



# Gateway Safety

## StarLite FOAMPRO Safety Glasses

- OptiFit™ foam features tapered design which creates a more custom seal around the eyes
- Closed-cell foam blocks dust and debris
- Anti-fog coating

Part#	Description/Size
46FP78	Gray Temples, Gray Lens
46FP79	Clear Temples, Clear Lens

# Gateway Safety Eclipse Safety Glasses



- Ultra lightweight
- Soft, flexible temples
- All-day comfort for any job site
- Meets ANSI Z87.1+

Part#	Description/Size
20GY80	Gray Temple, Clear Lens
20GY83	Gray Temple, Gray Lens
20GYX8	Gray Temple, Gray Anti-Fog Lens
20GYX9	Gray Temple, Clear Anti-Fog Lens
20GY0M	Gray Temple, Clear In/Out Mirror
20GY8M	Gray Temple, Silver Mirror Lens

# Gateway Safety 4x4 Safety Glasses



- Strong but lightweight, four sided frame
- Soft, inset nosepiece helps ensure comfort
- Other frame and lens options available
- Complies with ANSI Z87.1 standards

Part#	Description/Size
41GB9M	Smoke Lenses

# Gateway Safety StarLite SM Pink Safety Glasses



- Incredibly lightweight- weighing less than one ounce
- Deep, universal-fit temples
- Scratch-resistant, hardcoated polycarbonate lenses
- Smaller to fit narrower faces

Part#	Description/Size
36PK11	Pink Lenses

# Gateway Safety Swap Safety Glasses



- Temples and head strap included, which can be switched out with the simple push of a button.
- Foam-lined frame helps block dust and debris, with venting channels to minimize fogging.

Part#	Description/Size
21GBX8	Black Frame, Gray Anti-Fog Lens

Eye protection is the barrier between your eyes and potential danger. Many options are available to provide the best protection from the hazards in your workplace.



# Radnor Cobalt Classic Safety Glasses

- Anti-scratch/anti-fog
- Wide, trendy rectangular lens with side shields
- Smooth, formed nose pad
- Full coverage and comfortable fit

Part#	Description/Size
64051241	Clear Frame, Clear Lens
64051242	Clear Frame, Gray Indoor/Outdoor
64051245	Dark Frame, Dark Lens
64051247	Amber Frame, Amber Lens
64051248	Blue Frame, Blue Lens
64051249	Gray Frame, Gray Mirror Lens



# Radnor Action Series Safety Glasses

- Telescoping, adjustable wraparound ratchet temple
- Soft temple tips
- Form fitting single lens
- Molded nose piece

Part#	Description/Size
64051271	Clear Frame, Clear Lens



# Radnor Engulf OTG Safety Glasses

- Polycarbonate, hard coat lens
- Over the glasses safety glasses
- Clear lens and frame
- Meets ANSI Z87.1 Standard

Part#	Description/Size
64051661	Clear Frame, Clear Lens



# MCR Safety Crews OTG Safety Glasses

- Oversized frame and lens to fit over glasses
- Dielectric design (no metal parts)
- 5 Position ratchet action temple
- Exclusive Duramass® scratch resistant coating

Part#	Description/Size
OG110AF	Gray Frame, Clear Anti-Fog Lens
OG112AF	Gray Frame, Gray Lens



# Kimberly-Clark KleenGuard Nemesis Safety Glasses

- Smoke polarized lenses
- Sporty, flexible, and lightweight design with superior polarized-lens technology
- Every pair includes a neck cord

Part#	Description/Size
28635	Gray Frame, Smoke Lens



# Radnor

## Eyewear Zipper Case or Pouch

- Zipper to allow for easy open and close
- Durable, holds most eyewear styles
- Convenient pouch has drawstring closure
- Most eyewear styles fit comfortably inside

Part#	Description/Size
64051452	Zipper Case
64051453	Drawstring Pouch



# Radnor

## Lens Cleaning Wipes

- Dispenser holds 100 each 5" X 8" individually packaged pre-moistened lens cleaning towelettes
- Sturdy corrugated cardboard dispenser
- Contains alcohol

Part#	Description/Size
64051461	100ct Dispenser



# Radnor

## Universal Polycarbonite Flex Side Shields

- Easy-on, easy-off, weaves through the temple
- No parts or tools required
- No metal parts
- Blocks 100% of UV rays
- 60 pairs per case

Part#	Description/Size
64051421	Side Shields



# Radnor

## Lens Cleaning Solution

- For polycarbonate, plastic and glass lenses
- Safe and effective for all types of lens coatings
- Anti-static, Anti-fog formula
- Alcohol-free

Part#	Description/Size
64051486	Lens Cleaning Solution 16oz



# MSA

## Eyewear Retaining Lanyard

- Keeps spectacles and goggles around neck
- Black nylon construction for long lasting wear
- Slip on temple loops keep eyewear from slipping or falling

Part#	Description/Size
10020871	Retaining Lanyard



# Malta Dynamics

## APEX Type 2 Safety Helmet

- Multiple helmet shell color options
- Available in cap or full brim
- Adjustable chin strap
- Comfort adjustable headband
- ANSI Z89.1-2014 Type 2, Class C

Part#	Description/Size
HTW2000	White Safety Helmet
HHW4004	White Safety Helmet Full Brim
HTB2000	Black Safety Helmet
HHLBLK4004	Black Safety Helmet Full Brim



# KASK

## Zenith X2 Safety Helmet

- HD Polypropylene Exterior Shell
- HD Expanded Polystyrene Internal Shell
- One size fits most
- ANSI Z89.1 Type I, Type 2, Class E

Part#	Description/Size
WHE00097-201	White Safety Helmet



# MSA

## V-Gard Slotted Cap with Fas-Trac III Suspension

- Multiple colors available
- Polyethylene shell for superior impact protection
- Self-adjusting crown straps ensure a comfortable fit
- Custom printing options available

Part#	Description/Size
475358	White V-Gard Hard Hat
475359	Blue V-Gard Hard Hat
475362	Green V-Gard Hard Hat
475363	Red V-Gard Hard Hat



# MSA

## V-Gard Slotted Full Brim With Fas-Trac III Suspension

- Multiple colors available
- Polyethylene shell for superior impact protection
- Self-adjusting crown straps ensure a comfortable fit
- Custom printing options available

Part#	Description/Size
475368	Blue V-Gard Hard Hat
475369	White V-Gard Hard Hat
475370	Green V-Gard Hard Hat
475371	Red V-Gard Hard Hat



# MSA

## Skullgard Hard Hat with Fast Trac III Suspension

- One size fits most
- Available in multiple colors
- Available in cap or full brim
- ANSI Type 1, Class G

Part#	Description/Size
475395	Cap Style Tan Hard Hat
475405	Large Cap Style Tan Hard Hat
475407	Full Brim Style Tan Hard Hat
475396	Cap Style White Hard Hat
475408	Full Brim Style White Hard Hat

# MSA

## V-Gard Fast Trac III Replacement Suspension

- For use with MSA Helmets
- Fas-Trac® III ratchet suspension
- Available in standard and large sizes
- Three levels of nape strap adjustment

Part#	Description/Size
10148707	Large Suspension
10148708	Standard Suspension

# MSA

## Skullgard Replacement Suspension

- Available in standard size Fast Trac III, large size Fast Trac III, or standard size swing
- For use with MSA Skullgard helmets
- Three levels of nape strap adjustment

Part#	Description/Size
10126693	Large Fast Trac III
10153385	Standard Fast Trac III
816654	Standard Swing

# MSA

## Metal V- Gard Full Brim Faceshield Frame

- Fits MSA V-Gard full brim hard hats
- Coil spring attachment
- Aluminum construction for use in high heat applications
- Easy assembly of visor onto frame

Part#	Description/Size
10176739	Metal Frame

# MSA

## Plastic V-Gard Full Brim Face Shield Frame

- Unique 3-point visor loading to fit and remove visors
- Sloped design allows material to easily slide off
- Works with or without ear muffs
- Non-metal construction for use in electrical applications

Part#	Description/Size
10116627	Plastic Frame

# MSA

## Metal V-Gard Cap Face Shield Frame

- Designed for use with V-Gard MSA Caps
- Coil spring attachment
- Aluminum construction for use in high heat applications
- Easy assembly of visor onto frame

Part#	Description/Size
10158799	Metal Cap Frame



# MSA

## V-Gard Frame MSA Slotted Caps

- Replaceable debris-control
- Sliding adjustment blades
- Unique V-shaped channels
- Fits all slotted MSA caps

Part#	Description/Size
10115730	Plastic Cap Frame



# MSA

## Faceshield Frame for Cap Skullgard

- Designed for use with MSA Skullgard caps
- Coil spring attachment
- Aluminum construction for use in high heat applications
- Easy assembly of visor onto frame

Part#	Description/Size
10158800	Skullgard Cap Frame



# MSA

## V-Gard Polycarbonate Visor

- Designed for use with V-Gard frames
- Can be worn with helmet-mounted ear muffs
- Superior UV protection
- Compliant with ANSI/ISEA Z87.1-2010

Part#	Description/Size
10115836	Clear Visor
10115859	IR Face Shield



# Ergodyne

## Skullerz Hard Hat Face Shield

- Designed for hard hat & safety helmet integration
- Enhanced anti-fog/Fog-Off+ technology
- Easy accessory slot installation
- Durable polycarbonate lens

Part#	Description/Size
8994	Skullerz Face Shield



# MSA

## Goggle Retaining Ring for Hard Hats

- Non-metallic retainer for secure, anywhere hold
- Simple, no-tools installation
- Easily adjusts for a better fit
- Can be worn on MSA protective hardware

Part#	Description/Size
449895	Retaining Ring for Full Brim Hard Hat
459458	Retaining Ring for Cap Hard Hat



# Honeywell FiberMetal Light Duty Face Shield Headgear

- Lightweight and heat-resistant
- Meets ANSI Z87.1-2010
- General face protection for light-duty applications
- Faceshields sold separately

Part#	Description/Size
F300	Face Shield Headgear



# Honeywell FiberMetal Face Shield Window for F300

- Injection molded from propionate
- .06" thick for an extra margin of protection
- Meet ANSI Z87.1+ standard

Part#	Description/Size
4118CL	Clear Face Shield



# MSA V-Gard Chin Guard Face Shield Attachment

- Unique retractable plates allow greater flexibility of head movement both up and down and side-to-side
- V-Gard chin protectors work as a system with select V-Gard chin protector visors

Part#	Description/Size
10115827	Chin Guard



# OccuNomix Terry Toppers Hard Hat Sweatbands

- Available in two different styles
- Snaps over suspension
- Plush, not scratchy
- Absorbent without having to wash first

Part#	Description/Size
880-01	Clip-On
870B100-01	Snap On



# Accuform Retro-Reflective Hard Hat Stickers

- Available in multiple colors
- Stickers have a self adhesive back

Part#	Description/Size
LHR104BU	Blue Reflective
LHR104WT	White Reflective
LHR104GNL	Yellow Reflective



# Superior Glove TenActiv™ Ultra Thin Cut Glove

- ANSI Cut 9, Abrasion 3, Puncture 3
- Leather thumb crotch for increased durability
- Bare hand feel that balances durability and flexibility
- 21-gauge knit that offers ANSI A9 cut resistance

Part#	Description/Size
S21TXUFNLTC-8	Medium
S21TXUFNLTC-9	Large
S21TXUFNLTC-10	X-Large
S21TXUFNLTC-11	2X-Large



# Superior Glove TenActiv™ Cut Glove with Impact Protection

- ANSI Cut 6, Abrasion 4, Impact 2, Puncture 4
- Ultra-thin for improved hand movement and a bare hand feel
- Foam nitrile palm coating for steady wet grip

Part#	Description/Size
S21TAXFNVB-8	Medium
S21TAXFNVB-9	Large
S21TAXFNVB-10	X-Large
S21TAXFNVB-11	2X-Large



# Superior Glove TenActiv™ Cut Glove with Leather Thumb Crotch

- ANSI Cut 4, Abrasion 4, Puncture 3
- Leather thumb crotch for increased durability
- Foam nitrile palm coating provides steady grip in lightly oiled conditions

Part#	Description/Size
STAGFNP-8	Medium
STAGFNP-9	Large
STAGFNP-10	X-Large
STAGFNP-11	2X-Large



# Superior Glove TenActiv™ Cold Rated Cut Glove with Impact

- ANSI Cut 6, Abrasion 5, Impact 2, Puncture 4
- Acrylic fleece lining for winter warmth down to 23°F/-5°C
- Unique membrane lamination stops layers from slipping for added grip

Part#	Description/Size
STXWLPNVB-8	Medium
STXWLPNVB-9	Large
STXWLPNVB-10	X-Large
STXWLPNVB-11	2X-Large



# Superior Glove TenActiv™ Cold Rated Impact Cut Gloves

- ANSI Cut 7, Abrasion 5, Impact 2, Puncture 5
- Hi-viz color for hand placement visibility
- Micropore nitrile palms for steady grip
- Reinforced nitrile thumb crotch for longevity

Part#	Description/Size
STXLPNRVB-8	Medium
STXLPNRVB-9	Large
STXLPNRVB-10	X-Large
STXLPNRVB-11	2X-Large



# Superior Glove

## TenActiv™ Waterproof Cut Resistant Gloves

- ANSI Cut 4, Abrasion 3, Puncture 4
- Treated with laminated waterproof membrane
- Nitrile palm coating offers steady wet grip
- Acrylic lining for warmth down to 14°F / -10°C

Part#	Description/Size
S18WTLFN-8	Medium
S18WTLFN-9	Large
S18WTLFN-10	X-Large
S18WTLFN-11	2X-Large



# Superior Glove

## Endura® Cold-rated Multi-Hazard Gloves

- ANSI Cut 6, Abrasion 4, Impact 2, Puncture 4
- Thinsulate™ lining keeps hands warm in cold temperatures down to -13°F / -25°C
- Treated to resist water and liquids

Part#	Description/Size
378TXTVB-8	Medium
378TXTVB-9	Large
378TXTVB-10	X-Large
378TXTVB-11	2X-Large



# Superior Glove

## Endura® Material Handling Gloves

- ANSI Abrasion 4, Impact 2, Puncture 4
- Treated to resist water and liquids
- Padded palms for comfort when material handling
- Back-of-hand ANSI 2 impact resistance

Part#	Description/Size
378GKVSBL-8	Medium
378GKVSBL-9	Large
378GKVSBL-10	X-Large
378GKVSBL-11	2X-Large



# Superior Glove

## Endura® Goatskin Drivers Gloves

- ANSI Abrasion 4, Puncture 3
- Elasticized wrists for an ergonomic snug fit
- Keystone thumb design improves durability
- Also available in winter version upon request (Endura® 378AFL)

Part#	Description/Size
378GKTA-8	Medium
378GKTA-9	Large
378GKTA-10	X-Large
378GKTA-11	2X-Large



# Superior Glove

## Dexterity® Cut Protection Gloves

- ANSI Cut 4, Abrasion 4, Puncture 2
- Foam nitrile hand coating offers a steady wet grip
- Leather reinforced thumb crotch
- ParaActiv™ engineered material for 360° cut protection

Part#	Description/Size
SKFGNFLT-8	Medium
SKFGNFLT-9	Large
SKFGNFLT-10	X-Large
SKFGNFLT-11	2X-Large



# Global Glove

## Vise Gripster® C.I.A. Gloves

- ANSI Cut 5, Abrasion 6, Puncture 4
- 13-gauge Tuffalene® shell
- Double-dipped Mach Finish nitrile offers excellent grip
- Padded palm increases comfort

Part#	Description/Size
CIA617V-8	Medium
CIA617V-9	Large
CIA617V-10	X-Large
CIA617V-11	2X-Large



# Global Glove

## Vise Gripster® C.I.A. Gloves

- ANSI Cut 5, Abrasion 6, Puncture 3
- 13-gauge Aralene® (enhanced aramid fiber) shell
- Abrasion-Resistant Mach Finish nitrile
- Double coating provides superior grip

Part#	Description/Size
CIA609MF-8	Medium
CIA609MF-9	Large
CIA609MF-10	X-Large
CIA609MF-11	2X-Large



# Global Glove

## Tsunami Grip® Tuff Hybrid Gloves

- ANSI Cut 4, Abrasion 4, Puncture 3
- Aralene® (enhanced aramid fiber)
- Foam nitrile palm coating provides steady grip
- Knit wrist cuff offers users a secure, comfortable fit

Part#	Description/Size
CIA609-8	Medium
CIA609-9	Large
CIA609-10	X-Large
CIA609-11	2X-Large



# Global Glove

## Standard-Grade Deerskin Driver Gloves

- Deerskin leather is soft and supple, offers excellent dexterity
- Ergonomic keystone thumb improves durability, comfort, and dexterity while reducing hand fatigue
- Open cuff allows for easy donning and removal

Part#	Description/Size
3200DST-8	Medium
3200DST-9	Large
3200DST-10	X-Large
3200DST-11	2X-Large

For additional gloves or for more information regarding your options, call or email our office.



# Ansell

## HyFlex® Industrial Gloves

- ANSI Abrasion 3
- Breathable nitrile coating, ensures all-day comfort
- ZONZ™ Comfort Fit Technology

Part#	Description/Size
11-800 (Size 8)	Medium
11-800 (Size 9)	Large
11-800 (Size 10)	X-Large
11-800 (Size 11)	2X-Large



# RADNOR™

## Nitrile Palm And Finger Coated Work Gloves

- ANSI Abrasion 3
- Seamless 13 gauge nylon knit liner
- Black foam nitrile palm coating provides improved grip
- Ideal for manufacturing and assembly applications

Part#	Description/Size
64056002	Medium
64056003	Large
64056004	X-Large



# Radnor

## 14" Premium Cowhide Welder's Gloves

- Available in foam lined blue cotton or cotton lined brown
- Useful for welding, metal grinding, and metal fabrication applications
- Kevlar® stitching adds strength and resists heat

Part#	Description/Size
64057631	Brown Cotton
64057641	Blue Cotton, Foam Lined



# Radnor

## Split Leather Palm Gloves

- Striped canvas back with matching starched cuff
- Economy Grade Split Leather Palm
- Reinforced knuckle strap, pull tab, full index finger and fingertips

Part#	Description/Size
64057515	Large
64057516	X-Large



# Superior Glove

## Heat Resistant Cut Sleeve

- ParaActiv engineered yarn
- Ansi Cut A4, Heat Resistant A2
- Passes the ASTM D6413 vertical flame resistance test
- Elasticized biceps combined with thumb holes secure sleeves and ensure a snug fit

Part#	Description/Size
KBKB1T18TXS	X-Small
KBKB1T18TS	Small
KBKB1T18TM	Medium
KBKB1T18T	Large
KBKB1T18TXL	X-Large
KBKB1T18TXXL	2X-Large



# Radnor

## Yellow Aramid Sleeve with Thumb Hole

- ANSI Level 3 cut protection and good abrasion resistance
- Conforming fit for maximum comfort
- Kevlar® heat resistance

Part#	Description/Size
64056996	Yellow



# Wells Lamont

## Light Weight Stainless Steel/Fiber Sleeve

- Elastic on both ends allows sleeve to stay in place
- Available in several lengths - with or without a thumb hole
- Blousy fit allows superior comfort and breathability

Part#	Description/Size
SKC-18H	18in w/ Thumb Hole



# Ergodyne

## Squids Glove Clip Holder

- Durable, ultra-resilient acetal copolymer and thermoplastic polyurethane materials
- Keeps gear close
- Dual clip model connects to clothing, belt loops, tool belts, and more

Part#	Description/Size
3400	Black



# Wells Lamont

## Whizard® Armguard Single Clip

- Clips to shirt to keep armguard in place
- Can be used with most Whizard sleeves with loop
- Steel construction

Part#	Description/Size
135587	Whizard Single Clip



# OccuNomix

## Heat Pax Hand Warmers

- Fits inside pockets, Balaclavas, hats or gloves
- 30% Warmer than leading brands after 10 hours

Part#	Description/Size
1100-80D	Hand Warmers

# Radians

## Hi-Viz Bomber Jacket with Quilted Liner

- Quilted liner 160g/m2
- Color blocked bottom
- 2 inch silver reflective tape
- PU coated weather proof 300D oxford polyester shell
- Concealed attached hood

Part#	Description/Size
SJ11QB-32GS-M	Medium
SJ11QB-32GS-L	Large
SJ11QB-32GS-XL	X-Large
SJ11QB-32GS-2XL	2X-Large
SJ11QB-32GS-3XL	3X-Large

# OccuNomix

## Hi-Viz Long Sleeve Wicking T-Shirt

- ANSI Type R Class 3
- 2 inch silver reflective tape
- 100% ANSI wicking birdseye
- 3.8 oz fabric weight
- Lightweight fabric provides comfort

Part#	Description/Size
OCCLSETP3B-M	Medium
OCCLSETP3B-L	Large
OCCLSETP3B-XL	X-Large
OCCLSETP3B-2X	2X-Large
OCCLSETP3B-3X	3X-Large

# OccuNomix

## Hi-Viz Wicking Birdseye Mesh T-Shirt

- ANSI Type R Class 2
- 2 inch silver reflective tape
- 100% ANSI wicking birdseye
- 3.8 oz. fabric weight
- Lightweight fabric provides comfort

Part#	Description/Size
LUX-SSETP2B-YM	Medium
LUX-SSETP2B-YL	Large
LUX-SSETP2B-YXL	X-Large
LUX-SSETP2B-Y2X	2X-Large
LUX-SSETP2B-Y3X	3X-Large

# PIP

## Hi-Viz Crew Neck Sweatshirt

- 8 oz polyester fleece
- 2 inch silver reflective tape
- Type R Class 3

Part#	Description/Size
323CNSELY/M	Medium
323CNSELY/L	Large
323CNSELY/XL	X-Large
323CNSELY/2X	2X-Large
323CNSELY/3X	3X-Large

# PIP

## Hi-Viz Self Extinguishing Safety Vest

- Mesh polyester material treated to self-extinguish
- Treatment good for up to 25 washes
- 2 inch two-tone reflective tape
- Zipper closure
- Mesh R2 Vest

Part#	Description/Size
305-MVZSE-LY/M	Medium
305-MVZSE-LY/L	Large
305-MVZSE-LY/XL	X-Large
305-MVZSE-LY/2X	2X-Large
305-MVZSE-LY/3X	3X-Large



# OccuNomix

## Flame Resistant Zipper Hoodie

- ANSI/ISEA 107-2020 Class 3 - Type R
- 14 1/4 oz modacrylic/cotton/polyester fleece
- 2 inch flame resistant reflective tape
- High neck extended zipper hoodie with storm flap
- Draw Cord Hood

Part#	Description/Size
FR-SM2313-YM	Medium
FR-SM2313-YL	Large
FR-SM2313-YXL	X-Large
FR-SM2313-Y2X	2X-Large
FR-SM2313-Y3X	3X-Large



# Tillman

## Fire Resistant 30in Cotton Welding Jacket Orange

- 9 oz orange flame resistant cotton jacket
- Made from flame resistant, 100% cotton Westex® FR7A®
- Cool, comfortable, washable
- Snap fasteners

Part#	Description/Size
6230D-M(30")	Medium
6230D-L(30")	Large
6230D-XL(30")	X-Large
6230D-2X(30")	2X-Large
6230D-3X(30")	3X-Large
6230D-4X(30")	4X-Large



# Tillman

## Fire Resistant 36in Cotton Welding Jacket Orange

- 9 oz orange flame resistant cotton jacket
- Made from flame resistant, 100% cotton Westex® FR7A®
- Cool, comfortable, washable
- Snap fasteners

Part#	Description/Size
6230D-M(36")	Medium
6230D-L(36")	Large
6230D-XL(36")	X-Large
6230D-2X(36")	2X-Large
6230D-3X(36")	3X-Large
6230D-4X(36")	4X-Large



# Tillman

## Fire Resistant 36in Cotton Welding Jacket Green

- 9 oz green flame resistant cotton jacket
- Made from flame resistant, 100% cotton Westex® FR7A®
- Cool, comfortable, washable
- Snap fasteners

Part#	Description/Size
6230-M(36")	Medium
6230-L(36")	Large
6230-XL(36")	X-Large
6230-2X(36")	2X-Large
6230-3X(36")	3X-Large
6230-4X(36")	4X-Large



# Radnor

## Fire Resistant 30in Cotton Welding Jacket Green

- Snap Fasteners
- 30 inch length
- Washable
- Cotton fabric meets ASTM D6413-10

Part#	Description/Size
64054961	Medium
64054962	Large
64054963	X-Large
64054964	2X-Large
64054965	3X-Large
64054966	4X-Large



# Tillman

## Fire Resistant FR7A® Green Cotton Pants

- Made from flame resistant, 100% cotton Westex® FR7A®
- 9 oz flame resistant 100% cotton fabric
- Meets ASTM D6413-10
- Maintains flame resistance for up to 50 washings

Part#	Description/Size
6700XXYY	Green (XX-Waist Size, YY=Length)
	Waist Size 32in to 46in
	Inseam Length 30in to 38in



# Stanco

## Indura FR Navy Coverall

- Elasticized waistband
- Full action back
- Two-way concealed brass zipper
- Two front, rear, chest and pass-through pockets for extra storage

Part#	Description/Size
FRI681-NB-M	Medium
FRI681-NB-L	Large
FRI681-NB-XL	X-Large
FRI681-NB-2XL	2X-Large
FRI681-NB-3XL	3X-Large



# Superior Glove

## SUPERA™ Fire Resistant Cap

- Offers a high level of protection against heat, flame, and electric arc
- Uses a brimless design to comfortably fit underneath hard hats or other headwear
- Material is inherently fire resistant

Part#	Description/Size
BNKVFR	One Size Cap



# National Safety Apparel

## Nomex FR Balaclava

- 6 oz Nomex® interlock knit
- Inherently flame resistant that will not wash/wear out
- Double layer top with single layer bib
- Large face opening

Part#	Description/Size
H31NK	One Size

FR Apparel & Clothing is specifically designed to protect workers and ensure compliance with safety regulations. Don't see what you are looking for? Ask about special orders.



# Dupont

## White Tyvek 400 Disposable Coveralls

- Attached hood and shoe covers
- Composed of flash spun high density polyethylene
- Protection is built into the fabric itself
- Comfort fit design based on extensive wearer input

Part#	Description/Size
D13398100	Large
D13398084	X-Large
D13398148	2X-Large
D13398135	3X-Large
D13398127	4X-Large



# Dupont

## White Tyvek 400 Disposable Coveralls

- Attached hood, no attached boot
- Elastic wrists and ankles
- Composed of flash spun high density polyethylene
- Protection is built into the fabric itself
- Comfort fit design based on extensive wearer input

Part#	Description/Size
D13398175	Large
D13398151	X-Large
D13398112	2X-Large
D13397907	3X-Large
D13398196	4X-Large



# Dupont

## White Tyvek 400 Disposable Coveralls

- No attached hood, no attached boot
- Composed of flash spun high density polyethylene
- Protection is built into the fabric itself
- Comfort fit design based on extensive wearer input

Part#	Description/Size
D13397918	Large
D13384914	X-Large
D13397959	2X-Large
D13397940	3X-Large
D13397930	4X-Large



# Dupont

## Yellow Tychem 2000 Disposable Coveralls

- Attached hood and socks
- Elastic wrists and ankles
- Tyvek® fabric quality coated with polyethylene
- Reliable protection for minor chemical spills
- Lightweight fabric that is durable and resistant

Part#	Description/Size
D13479600	Large
D13396614	X-Large
D13396511	2X-Large
D13396808	3X-Large
D13396828	4X-Large



# Dupont

## Yellow Tychem 2000 Disposable Coveralls

- Attached hood and socks
- Elastic wrists and ankles
- Tyvek® fabric quality coated with polyethylene
- Reliable protection for minor chemical spills
- Lightweight fabric that is durable and resistant

Part#	Description/Size
D13480534	Large
D13396879	X-Large
D13396906	2X-Large
D13396899	3X-Large
D13396888	4X-Large



# Dupont

## Yellow Tychem 2000 Disposable Coveralls

- No hood or socks
- Open wrists and ankles
- Tyvek® fabric quality coated with polyethylene
- Reliable protection for minor chemical spills
- Lightweight fabric that is durable and resistant

Part#	Description/Size
D13479324	Large
D13396521	X-Large
D13396530	2X-Large
D13479267	3X-Large
D13479273	4X-Large



# IMPACTO Protective Products

## Metguard Metatarsal Protector

- Durable polycarbonate construction
- Fits all safety shoes and boots with optional attachment straps
- Non-conductive for heat and electricity
- Suitable for use in all workplaces and industries

Part#	Description/Size
METGUARD	Black



# Ergodyne

## Chill-Its Cooling Towels

- Instant Cooling Relief
- Remains comfortable and light-weight when wet
- 13in x 29.5in
- Machine washable

Part#	Description/Size
12437	Blue FR
12438	Gray
12439	Hi-Viz Lime
12441	Orange
12442	Pink



# Ergodyne

## Trex Adjustable Ice Cleats

- One-piece stretch design
- Adjustable cord cinches tight for a secure fit
- Carbon steel cleats provide full foot ice traction
- Remains flexible in extreme temperatures
- Replacement studs available

Part#	Description/Size
6310 (MED)	Shoe Size 6-8.5 Mens
6310 (LG)	Shoe Size 9-11.5 Mens
6310 (XL)	Shoe Size 12-14.5 Mens

**Need a size not listed? Call or email our office to get more information or a quote.**



# Badger Fire Protection ABC Dry Chemical Fire Extinguishers

- Square thread valve design
- Heavy duty metal siphon tube
- No-scratch hose strap
- Large pull pin

Part#	Description/Size
21007866B	5lb ABC
21007867B	10lb ABC
21007868B	20lb ABC



# Buckeye Fire Equipment ABC Dry Chemical Fire Extinguishers

- Anodized metal & brass valve assemblies for superior strength and corrosion resistance
- Rechargeable
- Color-coded gauges show operating status at-a-glance

Part#	Description/Size
13315	2.5lb ABC w/ Bracket
11310	10lb ABC Short
12905	30lb ABC



# Buckeye Fire Equipment CO2 Stored Pressure Fire Extinguisher

- UL Rating 5
- Industrial-grade construction, powder coated for corrosion resistance
- Metal pull pins and wall bracket for long service life
- Rechargeable

Part#	Description/Size
45100	5lb CO2
45600	10lb CO2
46100	15lb CO2
46600	20lb CO2



# Buckeye Fire Equipment Wet Chemical 6 Liter Class K Fire Extinguisher

- Capacity: 6 Liters
- Stainless steel cylinder
- Low "pH" potassium acetate and potassium citrate solution
- Protective non-metallic nozzle tip finger guard

Part#	Description/Size
50006	6 Liter Class K



# Buckeye Fire Equipment Stored Pressure Water Fire Extinguisher

- Water pressurized for use on Class A fires
- Vehicle brackets for extended unit service life
- Color-coded gauges show operating status at-a-glance

Part#	Description/Size
50000	2.5 Gallon H2O



# Brooks Equipment

## Heavy Duty Fire Extinguisher Vehicle Bracket

- Welded steel, heavy duty construction
- Easy to use design
- Multiple sizes available

Part#	Description/Size
5DC	For 4-1/4in to 4-1/2in Diameter Shell
5HB	For 4-7/8in to 5-5/8in Diameter Shell
10HB	For 5-3/4in to 6-1/4in Diameter Shell
15HB	For 6-1/2in to 7in Diameter Shell
15HBL	For 7-1/4in to 7-1/2in Diameter Shell



# Brooks Equipment

## Heavy-Duty Fire Extinguisher Cover

- Acrylic-coated polyester with hook-and-loop closures for the harshest conditions
- Fits portable, pressurized, and cartridge-operated extinguishers

Part#	Description/Size
FEC7	Small 20in x 11-1/2in
FEC8	Medium 25in x 16-1/2in
FEC9	Large 31in x 16-1/2in
FEC10	X-Small 18-1/2in x 7in



# LPI Fire

## Plastic Fire Extinguisher Signs

- Rigid, heavy duty plastic
- Silk screened with UV inks
- Pre-drilled mounting holes

Part#	Description/Size
LPI-RP90108	4in x 12in 90°
LPI-RP90109	4in x 18in 90°
LPI-RPAS182	5in x 6in 3D



# LPI Fire

## Fire Extinguisher Vinyl Stickers

- Heavy duty vinyl
- Silk screened with UV inks and clear lamination
- Easy application

Part#	Description/Size
LPI-105	4in x 4in Fire Extinguisher Inside
LPI-108	4in x 12in Fire Extinguisher Sign

**Keeping your fire extinguisher properly maintained is important. Stop by our office today to get yours inspected, refilled or repaired.**



# 3M Safety

## E-A-Rsoft Yellow Disposable Earplugs

- NRR 33 dB
- Self-adjusting foam
- 200 pairs per dispenser
- Corded or uncorded options

Part#	Description/Size
311-1250	Corded Ear Plugs
312-1250	Un-corded Ear Plugs



# 3M Safety

## E-A-R Push-In Corded Earplugs

- Poly bag keeps earplugs clean before use
- Flexible stem makes insertion and removal cleaner and easier
- Noise Reduction Rating (NRR)\* 28 dB. CSA Class AL
- Packaged 100 pair per box

Part#	Description/Size
318-1001	Push-In Ear Plugs



# 3M Safety

## Tri-Flange™ Corded Earplugs

- NRR 26 dB, cloth or nylon corded
- Tri-Flange design
- Conform to shape of ear canal
- 100 pairs per dispenser

Part#	Description/Size
P3001	Tri-Flange Ear Plugs



# 3M Safety

## PELTOR X3 Earmuffs

- Attenuation Rating: 25 dB.
- Electrically insulated
- Designed for use with a standard hard hat slot

Part#	Description/Size
X3P5E	Cap Mounted Earmuffs



# 3M Safety

## PELTOR™ X4 Earmuffs

- Combines excellent protection with exceptional comfort
- Electrically insulated wire headband
- Attenuation from 27-37 SNR and protection to 31 dB.
- Easy to adjust

Part#	Description/Size
X4A/37273	PELTOR Earmuffs

# MSA

## Sound Control Helmet Mount Ear Muffs

- Compatible with MSA equipment
- Spring design offers low pressure and a high level of comfort
- Three distinct wearing positions for ease of use
- Excellent grip makes it easy to adjust the cups

Part#	Description/Size
10129327	Gray Cap Mount Earmuffs

# Moldex

## Sparkplugs Tapered Foam Earplugs

- Extra-soft, low-pressure foam for comfort and fit
- Tapered shape for easy insertion and removal
- Shaped to fit even very small ear canals
- Non-irritating smooth surface

Part#	Description/Size
6605	Un-corded 250ct Dispenser
6654	Corded 100ct Box

# Moldex

## Jazz Hearing Protector

- Extra soft tapered foam pods gently conform to the ear canal
- Jazz band is the ideal choice for intermittent usage
- Hangs easily down around the user's neck with optional breakaway neck cord

Part#	Description/Size
6506	Banded Earplugs

# Howard Leight

## Orange Foam Banded Earplugs

- Soft pods rest partially in the ear to combine comfort and protection
- Patented band design prevents pods from touching dirty or contaminated surfaces
- Light and portable

Part#	Description/Size
QB2	Banded Earplugs
QB200	Replacement Plugs

Need help picking the correct hearing protection for your workplace? Ask to speak with one of our consultants for assistance.



# 3M Safety

## 6000 Series Half Mask Respirator

- Use with 3M™ filters and cartridges
- Comfortable, soft, lightweight facepiece and easy-to-adjust head straps
- Reusable: Just dispose of the cartridges/filters when used to capacity

Part#	Description/Size
6100	Small
6200	Medium
6300	Large



# 3M Safety

## 6500 Series Half Mask Respirator

- Resilient textured silicone face seal
- Cool flow valve helps reduce heat and moisture
- Adjustable 4 point head harness for improved fit and comfort
- Low-profile design for improved vision

Part#	Description/Size
6501	Small
6502	Medium
6503	Large



# 3M Safety

## 7500 Series Half Mask Respirator

- Advance silicone material for increased comfort and greater durability
- Proprietary 3M CoolFlow valve helps makes breathing easier
- Dual-mode head harness adjusts easily

Part#	Description/Size
7501	Small
7502	Medium
7503	Large



# 3M Safety

## 6000 Series Full Face Respirator

- Large lens provides a wide field of view for excellent visibility
- Lightweight well-balanced design and silicone face seal for enhanced comfort, durability and ease of cleaning
- 3M Cool Flow Valve makes breathing easier

Part#	Description/Size
6700	Small
6800	Medium
6900	Large



# Honeywell

## North 7700 Series Half Mask Respirator

- Cradle suspension features woven straps that provide for maximum mobility without sacrificing support.
- Wide: contoured sealing area for great fit
- Made from 100% medical grade silicone

Part#	Description/Size
770030S	Small
770030M	Medium
770030L	Large



# 3M Safety

## Cartridge and Filters for 3M Respirators

- Exceptional 99.97% filter efficiency
- Bayonet compatibility allows for use with many 3M half and full facemasks
- Swept-back design allows an enhanced field of view and comfort

Part#	Description/Size
2097	P100 Filter
6002	Acid Gas
6004	Ammonia Methylamine
6006	Multi Acid / Organic Vapor



# 3M Safety

## Combination Filter/Cartridge for 3M Respirators

- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M half and full facepiece designs
- Wide range of applications reduces inventory needs

Part#	Description/Size
60921	Organic Vapor/P100
60923	Organic Vapor/Acid Gas/P100
60924	Ammonia/Methylamine/P100
60926	Organic Vapor/Multi-Gas/P100



# 3M Safety

## Disposable Particulate Respirators

- NIOSH approved for at least 95% efficiency
- Compatible with a variety of protective eyewear and hearing protection
- Adjustable noseclip reduces potential for eyewear fogging and helps ensure a better seal and fit.

Part#	Description/Size
8210	Performance Particulate Resp. 20/Bx
8212	Specialty Particulate Resp. 10/Bx
8511	Cool Flow Valve Respirator 10/Bx
8293T	Particulate Cup Respirator 1/Bx



# Radnor

## Respirator Wipes, Alcohol Free

- Perfect for cleaning respirators and other PPE
- Important for shared PPE
- Pre-moistened and individually packed towelettes
- 100ct Box

Part#	Description/Size
64051463	Respirator Wipes

Respiratory Protection

Other respirators and cartridges available. Call or email our office today for more information. Respiratory Fit Testing and Medical Evaluations also available.



# BW Technologies

## GasAlert Max XT II Multi-Gas Monitor

- Four gas sensors for detecting hydrogen sulfide (H2S), carbon monoxide (CO), oxygen (O2) and the LEL
- Continuous LCD shows real time gas concentrations
- Simple automatic calibration procedure
- Compact and lightweight design

Part#	Description/Size
XT-XWHM-Y-NA	4-Gas Monitor



# BW Technologies

## MicroClip XL 4-Gas Monitor

- Four gas sensors for detecting hydrogen sulfide (H2S), carbon monoxide (CO), oxygen (O2) and the LEL
- Slim and compact multi-gas detector
- Rugged and durable water-resistant design
- Simple one-button operation offers ultimate ease of use

Part#	Description/Size
MCXL-XWHM-Y-NA	4-Gas Monitor



# BW Technologies

## Clip Portable Gas Monitor

- No sensor or battery changes necessary
- Compact, lightweight design with one-button operation
- Designed for a range of harsh environments and extreme temperatures

Part#	Description/Size
BWC2X	Oxygen
BWC2H	Hydrogen Sulfide
BWC2M	Carbon Monoxide



# RKI Instruments

## o4 Series Single Gas Monitors

- O2, H2S and CO
- Field serviceable
- Pocket size 2.1”(W) x 2.6”(H) x 0.9”(D), 2.8 ounces
- Impact, dust, and water resistant (IP-67)
- Replaceable rubber boot

Part#	Description/Size
72-0018	Oxygen
73-0063	Hydrogen Sulfide
73-0065	Carbon Monoxide



# Illumagear

## Halo SL Hard Hat Light

- 50 foot spotlight
- 360° visibility for a quarter mile
- Flood and task lighting
- Battery life indicator
- Cord free, battery charger included

Part#	Description/Size
S100010-101	Halo Light
S100012-101	Halo Light w/ Brake Light



# Nightstick Multi-Function Headlamp

- Focused spotlight beam for distance illumination
- Wide unfocused floodlight beam for close-up illumination
- Engineered polymer housing
- Dual switches located on top of light


Part#	Description/Size
XPP-5454G	Intrinsically Safe Yellow
NSP-4610B	Standard Black



# Nightstick Dual-Light Flashlight

- Momentary or constant-on flashlight
- Available in standard and ETLus and MSHA listed intrinsically safe permissible
- Effective beam distance of 181 meters (over 593 feet)
- Available with or without magnet in base

Part#	Description/Size
NSP-2422R	Red w/ Magnet
NSP-2422B	Black w/ Magnet
XPP-5422GM	Yellow Intrinsically Safe w/ Magnet
XPP-5422G	Yellow Intrinsically Safe w/o Magnet
XPP-5422B	Black Intrinsically Safe w/o Magnet



# Master Lock Aluminum Safety Lock Keyed Differently 1 1/2in

- American Lock aluminum safety padlock
- Corrosion resistant finish for tough environments
- High visibility color plus high security
- 1 1/2 inch shackle length
- Each lock keyed differently

Part#	Description/Size
A1106BLU	Blue
A1106GRN	Green
A1106ORJ	Orange
A1106RED	Red



# Master Lock Aluminum Safety Lock Keyed Differently 3in

- American Lock aluminum safety padlock
- Corrosion resistant finish for tough environments
- High visibility color plus high security
- 3 inch shackle length
- Each lock keyed differently

Part#	Description/Size
A1107BLU	Blue
A1107GRN	Green
A1107RED	Red
A1107YLW	Yellow



# Master Lock Aluminum Safety Lock Keyed-Alike 3in

- American Lock aluminum safety padlock
- Corrosion resistant finish for tough environments
- High visibility color plus high security
- 3 inch shackle length
- Each lock keyed alike

Part#	Description/Size
A1107KABLU	Blue
A1107KAGRN	Green
A1107KARED	Red



# Accuform

## Safety Tags By-the-Roll

- Portable and disposable dispenser roll for your on-the-go needs
- Have a large quantity of tags readily available
- 10 mil die-cut PF-cardstock tags
- Writable matte finish surface

Part#	Description/Size
TAR426	Locked Out 250ct
TAR735	Barricade 250ct
TAR110	Danger, Do Not Operate 100ct



# Grip Tight

## Circuit Breaker Lockout

- Fits standard height and tie-bar toggle
- Innovative patented Grip Tight™ design
- Adjust to breaker with simple thumb turn
- Great strength with universal fit
- Compact lockout device is easy to carry and store

Part#	Description/Size
493B	5-1/8in x 2-3/4in x 1-3/16in



# Brady

## Steel Lockout Hasp

- Hasps are constructed of vinyl-coated high tensile steel with rust-resistant plating
- Hasps allow multiple padlocks to secure a single lockout device
- Multiple jaw sizes available

Part#	Description/Size
65375	1in Jaw
65376	1-1/2in Jaw



# Brady

## Gate Valve Lockout

- Device is made of extremely rugged injection-molded polypropylene
- Supplied with English, Spanish and French danger labels
- Accepts padlock shackles up to 3/8 inch in diameter

Part#	Description/Size
65560	1in to 2-1/2in
65561	2-1/2in to 5in
65562	5in to 6-1/2in
65563	6-1/2in to 10in
65564	10in to 13in



# Brady

## Four-Legged Ball Valve Lockout

- 4-legged ball valve lockout devices lock out pipes 1/2 inch to 2 1/2inch in diameter and can lock valves open on pipes from 1/2 inch to 1 1/4 inch in diameter
- Ultra-tough polypropylene construction

Part#	Description/Size
45341	4.07in x 5.29in x 3.05in

# Brady

## Standard Ball Valve Lockout

- Locks out ball valve sizes from 1 1/4 inch to 3 inch
- Made of powder-coated steel for superior rust resistance
- Multiple sizes available

Part#	Description/Size
65669	0.282in Shackle Diameter
65693	0.375in Shackle Diameter

# Master Lock

## Zenex™ Valve Lockout

- Rotating gate valve lockout device
- Outward/inward rotation allows for easier installation and storage
- Tough, lightweight, dielectric thermoplastic bodies withstand chemicals

Part#	Description/Size
M19480	1in to 3in Valve Handles

# TRADESAFE

## Group Lockout Tagout Box

- Impact-resistant powder coated 18 gauge hardened steel construction
- Holds up to 12 safety padlocks with 5/16inch shackle diameter

Part#	Description/Size
TRADESAFELOB	9in x 3.5in x 6in

# Radnor

## Barricade Tape 3in x 1000ft

- Available in yellow with "CAUTION" or red with "DANGER"
- 1.5 MIL Polyethylene material will withstand tough environments

Part#	Description/Size
BT5057	Red w/ "DANGER"
BT5058	Yellow w/ "CAUTION"

# JBC Safety Plastic Safety Traffic Cones

- Orange or lime green PVC traffic cone with black base is made of PVC for superior durability and superior flexibility
- One piece design, superior durability and superior flexibility

Part#	Description/Size
RS45015C3M6	18in Orange Cone
JB270032CLM3M64	28in Lime Cone
RS90045CT3M64	36in Orange Cone





# ULINE

## Delineator Post with Base

- Detachable rubber base.
- Easy-to-grab, molded-in handle for portability
- Reflective - 3 inch high-intensity bands for visibility

Part#	Description/Size
H-23910	Orange Post w/ Base



# Mutual Industries

## Perimeter Warning Line

- 105ft line length
- Pennant flag measures 12in x 18in
- Red and yellow flag colors

Part#	Description/Size
15903-7941	Perimeter Warning Line



# JustRite

## Diesel Safety Can 2 1/2 Gallon

- Galvanized steel construction
- Precision arrester screen stops flashback ignition
- Superior chemical resistance and corrosion protection
- Leak proof, positive pressure relief cap

Part#	Description/Size
7125200	Yellow 2-1/2 Gallon
7125110	Red 2-1/2 Gallon



# JustRite

## Diesel Safety Can 5 Gallon

- Galvanized steel construction
- Precision arrester screen stops flashback ignition
- Superior chemical resistance and corrosion protection
- Leak proof, positive pressure relief cap

Part#	Description/Size
7150210	Yellow 5 Gallon
7150110	Red 5 Gallon



# Accuform

## Safety and Inspection Tags 3 1/4in x 5 3/4in

- PF-cardstock: tear-resistant, waterproof, pulp-free (no wood pulp or paper content)
- Pliable 10 mil poly-based tags will not crack, distort, or shrink
- Ideal for indoor and short-term outdoor conditions

Part#	Description/Size
MDT187	"Danger: Do Not Enter"
TAB102	"Danger: Construction Barricade"
TRS248	"Ladder Inspection"
TSS101	"Danger: Do Not Use" Scaffold Tag
TSS102	"Caution: Does Not Meet" Scaff. Tag
TSS103	"Scaffold Meets" Scaffold Tag



# Accuform

## Safety Signs 10in x 14in Aluminum

- Thick, rigid aluminum has the strength of metal without the rust
- Printed surface has clear UV protective overcoat
- Withstand splashes, washdowns, and outdoor conditions

Part#	Description/Size
A81MCHL245	"Danger: Gasoline"
A81MCRT022	"Danger: Open Trench"
MVHR831	"Notice: Shipping and Receiving"



# Accuform

## Safety Signs 7in x 10in

- Impact resistant plastic or rigid aluminum
- Printed surface has clear UV protective overcoat
- Abrasion and light chemical splash resistance
- Rounded corners with mounting holes

Part#	Description/Size
A81MPPA605VA	"Caution: Eye Protection" ALU
MCAW120	"Danger: Asbestos" ALU
MEXT910	"Not an Exit" Plastic



# Accuform

## 3-D Projection Sign 6in x 5in

- Features two panels with the message on each panel
- Durable, high-impact plastic construction
- Printed surface has clear UV protective overcoat
- Flanged edges have pre-drilled mounting holes for easy installation

Part#	Description/Size
A81PSP609	AED Sign w/ Graphic
A81PSP610	AED Sign w/ Text



# Accuform

## Chemical Hazard Signs

- 6-mil thick poly-composite adhesive dura-vinyl
- printed image is protected by a high-gloss 2-mil UV resistant polyester over-laminate
- features a permanent, acrylic adhesive back with peel-off liner

Part#	Description/Size
LCHL50	"Diesel Fuel" 9in x 2in
67974	"KEROSENE" 9in x 2in
LCHL573VSP	"FLAMMABLE" 9in x 2in
LSMK578XVE	"NO SMOKING" 7in x 3in
LCHL517	"GASOLINE" 5in x 2in



# Falcon Safety

## Sonic Blast Air Horn

- Available in 1oz or 5oz sizes
- Provides a piercing 120dB blast at 10 feet
- Refills available
- Recommended uses: personal safety, hand held signaling device

Part#	Description/Size
FSB1	1oz Can
FSB5BU	5oz Can

# ProStat First Aid

## Multi-Shelf Class-A First Aid Cabinets



- 4-Shelf Dimensions:
  - 15in x 22in x 5-1/2in
- 3-Shelf Dimensions:
  - 15inx 17in x 5-1/2in
- 2-Shelf Dimension:
  - 15-1/2in x 10-1/2in x 5in
- Heavy-duty steel construction
- Drilled mounting holes
- Includes liner and OSHA Class A fill
- See page 49 for cabinet contents

Part#	Description/Size
8214A	4-Shelf Cabinet
8213A	3-Shelf Cabinet
8212A	2-Shelf Cabinet



## ProStat First Aid Truck First Aid Kits

- Available in heavy-duty plastic or steel construction
- Includes Liner and Class A fill
- Steel Kit Dimensions: 9 1/16in x 6 5/16in x 2 3/8in
- Plastic Kit Dimensions: 9 3/16in x 6 1/4in x 2 3/4in
- See page 46 for contents

Part#	Description/Size
8286	Steel Truck Kit
8287	Plastic Truck Kit



## ProStat First Aid Body Fluid Cleanup Kit

Description	QTY	Description	QTY
Pair of Gloves	2	Anti-Microbial Wipes	2
Red Biohazard Waste Bag	1	Face Mask w/ Eye Shield	1
Twist Tie	1	Pick Up Scoop w/ Scraper	1
Liquid Treatment System	1	Gown	1
Disposable Towels	2	Surface Cleaning Wipe	1

Part#	Description/Size
2222	Body Fluid Cleanup Kit

## 4-Shelf First Aid Cabinet Contents

Description	QTY	Description	QTY	Description	QTY	Description	QTY
First Aid Booklet	1	Eyewash 4oz	1	Sterile Gauze Pads 2in x 2in	25	First Aid Pump Spray	1
Triple Antibiotic Ointment	25	Heavy Woven Patch 2in x 3in	25	Ammonia Inhalent Pads	10	Burn Relief Pump Spray	1
Alcohol Wipes	50	Aspirin	250	Non-Adherent Pads 2in x 3in	20	ABD Trauma Pad 5in x 9in	2
Adhesive Tri-Cut Tape	1	Antacid	250	Burn Stop 3.5g	20	Wire Handle Scissors	1
Tweezers 3"	1	Ibuprofin	250	Antiseptic Wipes	50	Self Adherent Wrap 3in	1
Woven Knuckle Bandage	40	Plastic Strips 1in x 3in	100	Triangular Bandage	2	Clean Wrap 4in	2
Woven Fingertip Bandage	40	Instant Cold Pack 6in x 9in	1	CPR Mouth Barrier	1	Woven Strip 1in x 3in	100
Nitrile Gloves	8	Eye Pads w/ Tape	4	Clean Wrap 2in	4	Burn Stop Dressing 4in x 4in	2
Blood Stopper	1	Sterile Gauze Pads 3in x 3in	25	Antiseptic Hand Gel	1	Emergency Rescue Blanket	1

## 3-Shelf First Aid Cabinet Contents

Description	QTY	Description	QTY	Description	QTY	Description	QTY
First Aid Booklet	1	Nitrile Gloves	8	Bandage Woven Patches	6	ABD Trauma Pad 5in x 9in	2
Sterile Gauze Pads	10	Gauze Pads 4in x 4in	4	Burn Stop 3.5g	20	Wire Handle Scissors	1
Triple Antibiotic Ointment	25	Blood Stopper	1	Hand Sanitizer	10	Self Adherent Wrap 3in	1
Alcohol Wipes	50	Eye Wash 4oz	1	Triangular Bandage	2	Burn Stop Dressing 4in x 4in	1
Antiseptic Wipes	20	Antacid	100	3in Cotton Tip Applicator	100	Emergency Rescue Blanket	1
Adhesive Tri-Cut Tape	1	Aspirin	100	CPR Mouth Barrier	1		
Tweezers 3in	1	Plastic Strips 1in x 3in	100	Clean Wrap 2in	2		
Woven Knuckle Bandage	40	Instant Cold Pack 6in x 9in	1	First Aid Pump Spray 2oz	1		
Woven Fingertip Bandage	40	Eye Pads with Tape	4	Burn Relief Pump Spray 2oz	1		

## 2-Shelf First Aid Cabinet Contents

Description	QTY	Description	QTY	Description	QTY
First Aid Booklet	1	Blood Stopper	1	CPR Mouth Barrier	1
Sterile Gauze Pads	10	Eye Wash 4oz	1	Clean Wrap 2in	2
Triple Antibiotic Ointment	25	Aspirin	100	First Aid Pump Spray 2oz	1
Alcohol Wipes	20	Non-Aspirin	100	Burn Relief Pump Spray 2oz	1
Adhesive Tri-Cut Tape	1	Plastic Strips 1in x 3in	100	ABD Trauma Pad 5in x 9in	2
Tweezers 3in	1	Instant Cold Pack 6in x 9in	1	Wire Handle Scissors	1
Woven Knuckle Bandage	40	Eye Pads with Tape	4	Woven Strip 1in x 3in	50
Woven Fingertip Bandage	40	Hand Sanitizer	10	Burn Stop Dressing 4in x 4in	1
Nitrile Gloves	4	Triangular Bandage	1	Emergency Rescue Blanket	1

## Truck First Aid Kit Contents

Description	QTY	Description	QTY	Description	QTY
First Aid Booklet	1	Antiseptic Wipes	10	Burn Stop Dressing 4in x 4in	1
Aspirin	10	Triple Antibiotic Ointment	10	Emergency Rescue Blanket	1
Hand Sanitizer	6	Bandage Plastic Strips	16		
Instant Cold Pack	1	Triangular Bandage	1		
Eye Wash 1oz	1	Adhesive Tape	1		
Gauze Pad 3in x 3in	2	CPR Mouth Barrier	1		
Burn Gel	10	Clean Wrap 2in	1		
Eye Pads w/ Tape	4	ABD Trauma Pad 5in x 9in	2		
Vinyl Gloves	4	Wire Handle Scissors	1		

**First aid cabinet restock items also available.**

**Contact our office for a price list.**

**We also offer first aid cabinet restocking service!**



# Honeywell

## Eyesaline Eye Wash Solution

- Buffered, saline solution that is sterile and superior to tap water for emergency eye care
- Blow-fill-seal bottles are tamper resistant, yet easily removed in an emergency
- Extended-flow nozzles

Part#	Description/Size
32-000455-0000	32oz Saline Solution



# Honeywell

## Dual Bottle Eyesaline Eyewash Station

- Holds two 32oz Eyesaline eye wash bottles
- Buffered, saline solution that is sterile and superior to tap water for emergency eye care
- Blow-fill-seal bottles are tamper resistant, yet easily removed in an emergency

Part#	Description/Size
32-000462-0000	Dual Eye Saline Station



# Zoll

## AED Plus Semi-Auto

- Real CPR Help® provides real-time feedback for depth and rate of CPR chest compressions.
- Supports the entire Chain of Survival, with easy-to-understand audio prompts and illustrations
- The unit is powered by 10 lithium batteries

Part#	Description/Size
8000-004000-01	Zoll Semi-Auto AED



# Zoll

## AED Plus Replacment Electrode Pads

- Features CPR-D-Padz, a one-piece, pre-connected electrode with Real CPR Help feedback
- Up to five (5) year shelf-life until used
- Includes: CPR-D-Padz defibrillator electrodes, gloves, wet wipe, dry-wipe, barrier mask, razor, scissors

Part#	Description/Size
8900-0800-01	Replacement Electrode Pads



# Zoll

## AED Plus Replacement Batteries

- 10ct pack of Type 123 Duracell lithium batteries

Part#	Description/Size
8000-0807-01	Replacement Batteries



# HeartSine Samaritan PAD 350P AED

- HeartSine interactive graphical interface
- HeartSine Samaritan PAD defibrillator is clinically safe and effective.
- HeartSine Samaritan PAD electrodes/battery combo pack means only one expiration date to monitor

Part#	Description/Size
350-STR-US-10	HeartSine AED Unit



# HeartSine Samaritan AED Pad-Pak

- AED electrodes and batteries combined in one single-use cartridge
- Only one date to monitor and only one item to replace upon expiration or after use

Part#	Description/Size
PAD-PAK-01	Replacement Pad Pak



# Cubix Safety Standard Surface Mount AED Cabinet

- Large cabinet dimensions: 16in L x 14 5/8in H x 8 3/8in W Weight: 10 lbs
- Small Cabinet Dimensions: 14 3/4in L x 11 5/8in H x 6 3/4in W Weight: 7 1/2 lbs
- Cold rolled steel and finished with a powder coating

Part#	Description/Size
CB2-L	Large Cabinet
CB2-S	Small Cabinet



# Sqwincher Qwik Stick Zero 50ct

- Electrolyte replenishment powder mix
- No sugar and low calorie
- 20 fl oz Yield

Part#	Description/Size
SQW060099-SL	Strawberry Lemonade
SQW060100-OR	Orange
SQW060101-MB	Mixed Berry
SQW060102-FP	Fruit Punch
SQW060103-LA	Lemonade
SQW060106-LL	Lemon Lime
SQW060107-GR	Grape
SQW060109-CC	Cool Citrus



# Sqwincher Freeze Pops

- 3 fl oz. freezer pop
- No high fructose corn syrup
- More than frozen sugar water
- Low sodium
- 10ct bag, 15 bags per case

Part#	Description/Size
SQW159200201	Regular
SQW159200231	Sugarfree

# Safety Services



# Confined Space Services

**Safety Resources Company of Ohio, Inc.**  
**offers a full range of services to assist with your**  
**confined space needs.**

- **OSHA 1910.146(C) Required Confined Space Evaluations:** We will identify hazards and work procedures required for safe entry.
- **OSHA 1910.146(G) Required Training:** We provide your workers with the required knowledge to make safe entry and understand their roles.
- **OSHA 1910.146(H) Required Confined Space Attendants:** Serve as continual safety watch to monitor the conditions inside and outside the space to ensure that work is progressing within the safe work guidelines established by the confined space permit.
- **OSHA 1910.146(K) Required On-Site Confined Space Rescue:** A Rescue team acts as a standby in the event that an emergency arises.

## What is a confined space?

Confined spaces are any area that is large enough to bodily enter to perform work, not designed for continual employee occupancy and has limited or restricted means of access or egress. OSHA 1910.146(B)

## Other hazards to consider:

Some spaces also include additional hazards such as atmospheric hazards, entrapment hazards or serious safety and health hazards.

**Call our office for more information.**

# Formal Certified Training

**Our expert team can train your employees in a variety of safety topics.**

## Courses Offered

- Aerial Lift / Scissor Lift
- ArcFlash
- Confined Space Entrant / Attendant / Supervisor
- Electrical Safety
- Fall Protection
- Fire Extinguisher
- First Aid / CPR / AED
- Forklift
- HazCom
- Ladder Safety
- Lock Out / Tag Out
- OSHA 10 & 30 Hour Construction or General Industry
- OSHA Recordkeeping
- Scaffold Safety
- Trenching & Excavating

Training can take place at your facility or our office. Open enrollment classes are also available. All classes come with a card and/or certificate following successful completion. Other training topics are also available.

**Ask about our virtual and hybrid classes.**

**Call our office or visit [srcoho.com](http://srcoho.com) for more information or to schedule your training class today!**

# Substance Abuse Testing

**Safety Resources Company of Ohio, Inc. is a qualified substance abuse testing facility for Pipeline, Department of Transportation (DOT), Non-DOT, DISA Consortium as well as others and are FMCSA clearinghouse compliant. Drug tests are processed by a certified lab.**

## **Services and Programs to Meet Your Company Requirements**

- Random Selection Services Monthly, Quarterly or Annual
- Drug Free Workplace Policies
- 10 Panel Laboratory Testing
- 5 Panel Laboratory Testing
- Hair Follicle Testing
- Ohio BWC Drug Free Safety Program
- Background Checks/ Driving Record
- 24/7 Mobile Drug Testing
- 10 Panel Rapid Response Test
- 5 Panel Rapid Response Test
- Breath Alcohol Testing
- BWC Compliance Training

- Drug and alcohol testing has become standard operating procedure in today's workplace.
- Testing helps ensure workplace safety and deter employees from illegal use of drugs, reducing the liability risks to your company.
- Safety Resources provides low cost, accurate, and effective employee testing programs designed to meet your company's specific needs and Ohio Bureau of Worker's Compensation (BWC) approved programs.
- We are committed to client service and make setting up a cost efficient drug testing program easy.

# Industrial Hygiene Sampling

## What is Industrial Hygiene?

Industrial hygiene, by definition, is the science devoted to the anticipation, recognition, evaluation and control of those environmental factors to protect worker's health and safety. The primary goal of industrial hygienist is to protect the health and well-being of workers by identifying and minimizing exposure to hazardous substances and physical agents in the workplace. OSHA has developed and mandated many health requirements in more than six million U.S. workplaces. These requirements include air contaminants as well as chemical, biological, physical, and ergonomic hazards.

## Samplings SRCO can provide:

- Asbestos
- Beryllium
- Carbon Monoxide
- Formaldehyde
- Hexavalent Chromium
- Industrial Mold
- Lead
- Noise
- Respirable Dust
- Silica
- Total Dust
- Volatile Organic Compounds

Our hygienists take a sample of the air/material and write a report explaining the results of the sampling and recommendations for abatement. This report is then provided to the company.

**SRCO can conduct Physical Facility Audits in compliance with the American Correctional Association including Indoor Air Quality, CO<sub>2</sub>, CO, Temperature, Humidity, Noise, and Ventilation Testing. A written report based on the results of this testing is included with the audit.**

# Air Monitor Repair and Service

## What are Air Monitors?

This equipment is used when trying to determine how safe an environment is for breathing, such as in a Confined Space. Typically used to detect Oxygen, Hydrogen Sulfide, Carbon Monoxide, and Combustible Gases (LEL), a 4-gas multi gas detector is the most common Air Monitor in use. A 5-gas monitor detects the same 4 gases as a 4-gas monitor but it will also detect an additional gas such as Volatile Organic Compounds. This 5th sensor can be calibrated to other gases. These monitors allow for a confined space attendant to monitor the air inside a space without entering the space his/herself.

A single gas detector is calibrated to a single gas typically Oxygen (O<sub>2</sub>), Hydrogen Sulfide (H<sub>2</sub>S) or Carbon Monoxide (CO) but there are others as well. These monitors are designed for a single person to wear on his/her body inside the breathing space while that person is working in an area that has the potential for a hazardous environment.

---

## How can SRCO Help?

**Calibrations:** This is the process of verifying or adjusting a gas monitor's accuracy against a known, traceable standard of gas. It is recommended to calibrate air monitors frequently.

**Bump Tests:** The monitor is exposed briefly to a known concentration of gas to ensure that the sensors and alarms are working correctly. Bump Tests should be completed before each use of the monitor.

**Repairs:** Sensors, screens, and clips eventually all need replaced. SRCO keeps a wide range of parts in stock to repair monitors as needed.

**Services are available for a wide variety of monitors including BW, Gas Clip, MSA and RKI.**

# Breathing Air and Fit Testing Services

## Breathing Air Services

**Self Contained Breathing Apparatus:** SCBAs are used in confined spaces and areas that are considered IDLH or immediately dangerous to life and health. This is where the quality of air is considered not to breathing levels.

### Services SRCO can Provide

- **Hydrostatic Testing:** This is the process of subjecting the breathing air cylinder to a pressure higher than during normal usage. Hydrostatic testing is done to verify that the structural integrity of the cylinder is sound and can properly contain safe breathing air. During testing the cylinder is monitored for dents, leaks, and other signs of weakness. A visual inspection is also completed during this time for any damage, corrosion or defects. Testing should be completed at a minimum of every 5 years.
- **Cylinder Refills:** SRCO is certified to refill SCBA bottles with breathing quality air.
- **Rental Equipment:** SRCO provides rental fresh air equipment, including bottles, lines and respirators.

---

## Respirator Fit Testing and Medical Evaluations

**Respirator Fit Testing:** SRCO offers both Qualitative and Quantitative fit testing. Whether your using a N95 dust mask or a SCBA we are able to provide the testing you need. We can provide testing on many different brands including Scott, 3M, North, and MSA.


**Medical Evaluations:** SRCO provides Medical Evaluations through an online platform and can complete these onsite or prior to the scheduled fit testing time. Employees receive a copy of the approved evaluation and fit test after completion.

**On-site services are available, call or email today for more information.**

# Fire Extinguisher Services

**At Safety Resources Company of Ohio, our certified technicians can help with any of your fire extinguisher needs.**

- **Monthly and Annual Inspections:** OSHA 1910.157(E) Fire Extinguishers need monthly and annual inspections to ensure they are functional and ready for use in an emergency. Anything can happen and we want you to be prepared. Inspections are available either on site or at our office.
- **6 Year Inspections:** This is known as a breakdown inspection or service. The extinguisher is taken apart, inspected and refilled by our licensed professionals.
- **Recharging:** Once a fire extinguisher has been discharged or in the event of pressure loss, your extinguisher needs to be recharged. Trust our licensed professionals to get your extinguishers checked and filled promptly.
- **Hydrotesting:** OSHA 1910.157(F) Hydrotesting is necessary to ensure the fire extinguisher is working properly and has no faults that are not visible to the naked eye. This includes issues with the threads, seals, or shell.



Contact our office at (330) 477-1100 or visit [www.srcoho.com](http://www.srcoho.com) for more information.

# On-Site Services

**Safety Resources Company of Ohio, Inc. offers a full range of on-site services to meet your safety needs.**

- **Safety Inspections and Audits:** Frequent and regular site safety assessments must be performed to ensure the safety of your workers. At Safety Resources, our trained staff is available to provide detailed formal assessments and offer suggestions to improve the safety of your employees on the job to meet this requirement.
- **Maintenance Shutdown and Outage Safety Services:** We can manage the complete shutdown process as in-house repairs and improvements are made. SRCO offers supervision services for outside contractors as well as compliance services and contractor oversight.
- **3rd Party Inspections and Annual Inspections:** When 3rd party inspections are required for insurance or other purposes, we can act as the third party for jobs such as fire extinguisher inspections, confined space evaluations, LOTO written procedures, fire watch, emergency evacuation procedure inspection, chemical inventory and SDS sheet audit, and wall-to-wall OSHA compliance audit.
- **Safety Meetings:** Our safety consultants will travel to your facility or jobsite monthly, quarterly, annually or as needed for a single or multiple topic meeting lasting 30 to 60 minutes. These meetings include video, handouts, discussion, employee sign in sheet and electronic record keeping.

# Emergency Services

**Safety Resources Company of Ohio, Inc. provides an extensive list of emergency services in the case of a work place accident or other emergency situation.**

---

- **Post Accident Drug and Alcohol Testing:** Following a workplace accident, we provide employee drug and alcohol testing either on-site or at our facility.
- **Accident Investigation:** Safety Resources can perform an accident/incident investigation to determine the root cause and develop safe practices to prevent future occurrences. We are able to work with your attorney to limit your liability.
- **Expert Witness for Workers' Compensation, VSSR Cases & Civil Cases:** We are experienced expert witnesses that can assist you with your labor law cases. Specializing in fall protection, electrical safety, fire safety and many other construction and general industry safety fields.
- **OSHA Informal Advocate:** If your company has been cited by OSHA, you have the option to request an Informal Conference with the OSHA Area Director to discuss your citation and/or discuss abatement dates. Safety Resources can provide advice and/or attend your OSHA informal conference with you to help resolve violations, abatement, and penalty costs.

**Call our office for more information.**

# Video Production and Safety Policies

## Video Production Services

SRCO strives for excellence when it comes to our clients videos. Trust us to deliver high-quality film work to assist and educate employees on safe work practices. Ensure a smooth onboarding experience with high quality safety orientation videos tailored for new hires.

Our engaging, informative, and easy to understand training content helps new employees grasp essential workplace protocols and are completely personalized to your company's needs. From hazard identification to emergency procedures, our videos make safety training not only effective but memorable.

We can assist with script writing, recording and accuracy of the information provided in your videos based on applicable OSHA Standards to ensure the safety of your employees and clients.

**Contact us today to discuss how we can help you foster a safer work environment through our video production services.**

## Safety Policies

We offer a full range of policies to address the potential hazards in your workplace, customized to your companies needs for general industry or construction.

We also offer a supervisor manual for handling accidents and emergencies on-site.

Over 400 individual toolbox talks are available for reinforcement of safety.

**Contact our office for more information.**

# Equipment Rental

**At Safety Resources Company of Ohio, we offer a wide variety of rental safety equipment to meet your safety needs.**

## **Confined Space and Fall Protection Equipment**

- Miller Durahoist 5-Piece Adjustable hoist
- Tripod
- Rope rescue equipment
- 50ft or 100ft manual hoist
- 50ft or 100ft SRL/rescue
- Self retracting lanyards
- Rescue harness

## **Air Monitoring and Ventilation Equipment**

- Multi-Gas air monitors: multiple configurations available
- 4-Gas personal monitor
- Single gas personal air monitor
- Ventilation fan and ductwork

## **Fresh Air and Respiratory Equipment**

- Scott 30/45 minute air pack
- Scott Ska-Pak 5/10 min
- Scott 10 escape pack with hood
- 50ft or 100ft breathing air hose
- Manifold splitter for breathing air lines
- Breathing air low alarm regulator

**Additional rental equipment is available by request.  
Daily, weekly and monthly rates available.**

Contact our office at (330) 477-1100 or visit [www.srcoho.com](http://www.srcoho.com) for more information.



# **SAFETY RESOURCES**

**4650 Southway St. S.W**

**Canton, OH 44709**

**330-477-1100**

**Info@srcoh.com**

**srcoh.com**